

SAFEEN DIVETECH 1

Ship Particulars



SAFEEN DIVETECH 1

Ship Particulars

Classification

Item	Value
Classification Society	Bureau Veritas I
Notation	✠ HULL • MACH • AUT-UMS
Navigation	Unrestricted Navigation
Service Type	Multi-Purpose / Special Service

Dimensions

Item	Value
Length	24.00 m
Beam	9.54 m
Draft	2.10 m

Propulsion

Item	Value
Main Engines	2 × MAN D2862
Total Power	1324 kW
Bow Thruster	80 kW

Performance

Item	Value
Speed	10 knots
Bollard Pull	24 tons

SAFEEN DIVETECH 1

Ship Particulars

Deck Machinery

Item	Value
Anchor Handling Winch	50 ton
Tugger Winch	10 ton
Towing Hook	25 ton SWL

Dimensions

Item	Value
Crane	Heila HLM 25-4S Electro-Hydraulic Crane
Net Lifting Moment	25 ton-m
Slewing	Continuous 400° Slewing
Lift Capacity	8,000 kg @ 2.79 m
Lift Capacity	4,850 kg @ 4.93 m
Lift Capacity	3,350 kg @ 6.88 m
Lift Capacity	2,450 kg @ 8.85 m
Lift Capacity	1,800 kg @ 10.70 m
Lift Capacity	1,450 kg @ 12.62 m
Optional Extension	1.1T @ 14.7 m
Optional Extension	0.65T @ 16.78 m
Operation	Electro-Hydraulic Operation

Power Systems

Item	Value
Generator Sets	2 × Generator Sets
Total Electrical Power	254 kW
Hydraulic Power Pack	2 × 75 kW

SAFEEN DIVETECH 1

Ship Particulars

Deck Capability

Reinforced Azobé Deck

Push & Side Fendering

Operational Functions

Deployment of sea anchors & buoys

Floating barrier installation

Environmental monitoring patrols

Diving support operations

ROV deployment support

Wildlife rescue support

Mechanical debris removal

Emergency equipment deployment


Accommodation

Item	Value
Capacity	5-person facility



MAN-D2862

Engine Room



Accommodation




Side View




Front View



Aft View



Top Deck





دايفتيك
DIVETECH

